

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	757	385/14,31,39,42,45,47.ccls. and (substrate\$1 same (waveguide\$1 (wave adj guide\$1) wave-guide\$1))	US-PGPUB	OR	OFF	2005/07/25 08:51
L26	159	L25 and ((waveguide\$1 (wave adj guide\$1) wave-guide\$1) with (bent bend\$4 s-shap\$4 (s adj shap\$4)))	US-PGPUB	OR	OFF	2005/07/25 08:52
L27	91	L26 and (multiplex\$4 mux\$4)	US-PGPUB	OR	OFF	2005/07/25 08:52
L28	32	L26 and ((multiplex\$4 mux\$4) same (reflec\$5 mirror\$1))	US-PGPUB	OR	OFF	2005/07/25 08:53
S1	6960	(optic\$4 near5 (semiconduct\$5 semi-conduct\$5 (semi adj conduct\$5))) same (optic\$4 near4 (waveguid\$3 wave-guid\$3 (wave adj guid\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:09
S2	4663	(bent s-shap\$3 curv\$3) near5 (waveguid\$3 wave-guid\$3 (wave adj guid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:32
S3	24365	(reflect\$5) with (waveguid\$3 wave-guid\$3 (wave adj guid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:11
S4	262	(MMI multi-mode-interfer\$6 (multi adj mode adj interfer\$6) interferometer\$1) with S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:12
S5	846	(Y-branch\$3 (Y adj branch\$3) split\$4 fork\$4) with S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:13
S6	559	(direction\$4 near3 coupl\$5) with S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:14

DUP  
7/25/2005

S7	6	S1 and S2 and S4 and @ad<"20021121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:15
S8	23	S1 and S2 and S5 and @ad<"20021121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:17
S9	25	S1 and S2 and S6 and @ad<"20021121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:23
S10	0	S7 and S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:15
S12	4761	@pd="19911114"	JPO; DERWENT	OR	OFF	2005/04/12 18:24
S13	1	S12 and miyagawa.in.	JPO; DERWENT	OR	OFF	2005/04/12 18:25
S14	5265	(bent s-shap\$3 curv\$3 fold\$4) near5 (waveguid\$3 wave-guid\$3 (wave adj guid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:32
S15	602	S14 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:32
S16	1	S15 and S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:33
S17	2	S15 and S1 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:33

S18	1	S15 and S1 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:33
S19	2	(S16 S17 S18) and @ad<"20021121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:36
S20	781	385/14.ccls. and 385/31,32,39-42, 45,47,49,50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:24
S21	718	S20 and @ad<"20021121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:39
S22	143	S21 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:56
S23	41	(385/39-42,45,47.ccls.) and S1 and ((fold\$4 bent bend\$4) with (waveguid\$3 wave-guid\$3 (wave adj guid\$3))) and @ad<"20021121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 18:57
S24	6	((("6226310") or ("6198854") or ("6667529") or ("6845205") or ("6777718") or ("6760141")).PN.	USPAT	OR	OFF	2005/04/14 11:04
S25	10526	385/14,31,32,39-42,45,47,49,50. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:24
S26	9079	(multiplex\$4 MUX\$4 demultiplex\$4 DEMUX\$4) with (reflect\$4 mirror\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:26

S27	4284	S26 and (MMI interfer\$5 interferometer\$3 (direction\$4 adj coupl\$4) branch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:27
S28	460	S27 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:27
S29	306	S28 and (substrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:28
S30	413	S28 and (@ad<"20021121" @prad<"20021121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:28
S31	267	S29 and (@ad<"20021121" @prad<"20021121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 21:28

**PALM INTRANET**Day : Monday  
Date: 7/25/2005  
Time: 08:26:49**Inventor Information for 10/713023**

<b>Inventor Name</b>	<b>City</b>	<b>State/Country</b>
TAKAGI, KAZUHISA	TOKYO	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)DD  
7/25/2005



## Inventor Name Search Result

Your Search was:

Last Name = TAKAGI

First Name = KAZUHISA

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">10952901</a>	Not Issued	030	09/30/2004	RIDGE TYPE DISTRIBUTED FEEDBACK SEMICONDUCTOR LASER	TAKAGI, KAZUHISA
<a href="#">10918358</a>	Not Issued	030	08/16/2004	SEMICONDUCTOR LASER DEVICE	TAKAGI, KAZUHISA
<a href="#">10792789</a>	Not Issued	020	03/05/2004	PORTABLE TELEPHONE	TAKAGI, KAZUHISA
<a href="#">10739068</a>	Not Issued	030	12/19/2003	SEMICONDUCTOR OPTICAL INTEGRATED CIRCUIT	TAKAGI, KAZUHISA
<a href="#">10735210</a>	Not Issued	030	12/15/2003	OPTICAL WAVELENGTH CONVERTER	TAKAGI, KAZUHISA
<a href="#">10713023</a>	Not Issued	071	11/17/2003	SEMICONDUCTOR OPTICAL WAVEGUIDE DEVICE	TAKAGI, KAZUHISA
<a href="#">10464450</a>	<a href="#">6760141</a>	150	06/19/2003	SEMICONDUCTOR OPTICAL MODULATOR AND SEMICONDUCTOR OPTICAL DEVICE	TAKAGI, KAZUHISA
<a href="#">10405631</a>	Not Issued	071	04/03/2003	SEMICONDUCTOR OPTICAL DEVICE	TAKAGI, KAZUHISA
<a href="#">10357375</a>	<a href="#">6777718</a>	150	02/04/2003	SEMICONDUCTOR OPTICAL DEVICE	TAKAGI, KAZUHISA
<a href="#">10251832</a>	<a href="#">6845205</a>	150	09/23/2002	SEMICONDUCTOR OPTICAL DEVICE	TAKAGI, KAZUHISA
<a href="#">09984825</a>	<a href="#">6667529</a>	150	10/31/2001	SEMICONDUCTOR DEVICE	TAKAGI, KAZUHISA
<a href="#">09860427</a>	<a href="#">6623670</a>	150	05/21/2001	METHOD OF MOLDING A TRANSPARENT COATING MEMBER FOR LIGHT-EMITTING DIODES	TAKAGI, KAZUHISA
<a href="#">09817058</a>	<a href="#">6778751</a>	150	03/27/2001	OPTICAL MODULATOR AND PHOTONIC SEMICONDUCTOR DEVICE	TAKAGI, KAZUHISA
<a href="#">09805461</a>	<a href="#">6521915</a>	150	03/14/2001	LIGHT-EMITTING DIODE DEVICE	TAKAGI, KAZUHISA
<a href="#">09597296</a>	<a href="#">6391233</a>	150	06/20/2000	METHOD OF PRODUCING A POROUS PRODUCT	TAKAGI, KAZUHISA
<a href="#">09581423</a>	<a href="#">6396854</a>	150	06/13/2000	ENCASED SEMICONDUCTOR LASER DEVICE IN CONTACT WITH A FLUID AND METHOD OF PRODUCING THE LASER DEVICE	TAKAGI, KAZUHISA
<a href="#">09511249</a>	<a href="#">6542525</a>	150	02/23/2000	LIGHT MODULATOR AND INTEGRATED SEMICONDUCTOR LASER-LIGHT MODULATOR	TAKAGI, KAZUHISA
<a href="#">09499345</a>	<a href="#">6319425</a>	150	02/08/2000	TRANSPARENT COATING MEMBER FOR LIGHT-EMITTING DIODES AND A FLUORESCENT COLOR LIGHT SOURCE	TAKAGI, KAZUHISA
<a href="#">09400531</a>	<a href="#">6455338</a>	150	09/21/1999	METHOD OF MANUFACTURING AN INTEGRATED SEMICONDUCTOR LASER-MODULATOR DEVICE	TAKAGI, KAZUHISA
<a href="#">09395956</a>	<a href="#">6277663</a>	150	09/14/1999	METHOD OF PRODUCING SEMICONDUCTOR	TAKAGI, KAZUHISA

				LASER DIODE	
<u>09236908</u>	<u>6198854</u>	150	01/26/1999	MACH-ZEHNDER MODULATOR	TAKAGI, KAZUHISA
<u>09146311</u>	Not Issued	161	09/03/1998	OPTICAL MODULATOR INTEGRATED SEMICONDUCTOR LASER DIODE	TAKAGI, KAZUHISA
<u>09115664</u>	Not Issued	161	07/14/1998	SEMICONDUCTOR DEVICE HAVING LOW-CAPACITIVE CONNECTION ELECTRODE AND METHOD OF MANUFACTURING THE SAME	TAKAGI, KAZUHISA
<u>09110973</u>	Not Issued	161	07/07/1998	TRANSPARENT COATING MEMBER FOR LIGHT-EMITTING DIODES AND A FLUORESCENT COLOR LIGHT SOURCE	TAKAGI, KAZUHISA
<u>09104985</u>	<u>6115169</u>	150	06/26/1998	SEMICONDUCTOR OPTICAL MODULATOR AND INTEGRATED OPTICAL CIRCUIT DEVICE	TAKAGI, KAZUHISA
<u>09050415</u>	Not Issued	161	03/31/1998	OPTICAL INTEGRATED DEVICE	TAKAGI, KAZUHISA
<u>09032784</u>	<u>6226310</u>	150	03/02/1998	SEMICONDUCTOR OPTICAL DEVICE	TAKAGI, KAZUHISA
<u>08925742</u>	<u>6021148</u>	150	09/09/1997	SEMICONDUCTOR LASER DEVICE	TAKAGI, KAZUHISA
<u>08735080</u>	<u>5781578</u>	150	10/18/1996	OPTICAL SEMICONDUCTOR DEVICE	TAKAGI, KAZUHISA
<u>08667819</u>	<u>5721752</u>	150	06/20/1996	SEMICONDUCTOR LASER DEVICE	TAKAGI, KAZUHISA
<u>08623744</u>	Not Issued	161	03/29/1996	SEMICONDUCTOR LASER DEVICE AND METHOD FOR PRODUCING THE SAME	TAKAGI, KAZUHISA
<u>08600252</u>	<u>5715266</u>	150	02/12/1996	SEMICONDUCTOR LASER	TAKAGI, KAZUHISA
<u>08594467</u>	<u>5751754</u>	150	01/31/1996	SEMICONDUCTOR LASER INCLUDING TUNNEL DIODE FOR REDUCING CONTACT RESISTANCE	TAKAGI, KAZUHISA
<u>08588089</u>	<u>5684816</u>	150	01/18/1996	LIGHT INTERACTIVE SEMICONDUCTOR DEVICE INCLUDING WIRE CONNECTION AT INTERNAL LIGHT DISTRIBUTION MAXIMUM	TAKAGI, KAZUHISA
<u>08491068</u>	<u>5636234</u>	150	06/16/1995	SEMICONDUCTOR LASER DEVICE INCLUDING HEAT SINK WITH PN JUNCTION	TAKAGI, KAZUHISA
<u>07818354</u>	<u>5214663</u>	150	01/09/1992	SEMICONDUCTOR LASER	TAKAGI, KAZUHISA
<u>07221469</u>	<u>4933432</u>	150	07/19/1988	METHOD OF REDUCING DIMETHYL POLYSILOXANE REMAINING IN SILICONE RUBBER PRODUCTS TO THE ULTRA-MICRO LEVEL	TAKAGI, KAZUHISA

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name  
 TAKAGI KAZUHISA Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

		Results
4.	pub-date > 1994 and TITLE-ABSTR-KEY((semiconductor OR semiconductors) w/25 (optic OR optical OR optically OR optics)) and TITLE-ABSTR-KEY((waveguide OR waveguides OR wave-guide OR wave-guides) w/10 (bent OR bend OR bending OR s-shape OR s-shaped)) [All Sources(- All Sciences -)]	0
3.	pub-date > 1994 and TITLE-ABSTR-KEY((multiplex OR multiplexing OR multiplexer OR multiplexers OR multiplexed OR mux) w/100 (reflect OR reflective OR reflection OR reflecting OR reflected OR mirror OR mirrors OR reflectors)) and TITLE-ABSTR-KEY((interfere OR interference OR interferometer OR interferometers) w/100 (multiplex OR multiplexers OR multiplexer OR multiplexing OR multiplexed)) [All Sources(- All Sciences -)]	7
2.	(pub-date > 1994 and AUTHORS(Takagi) and TITLE-ABSTR-KEY((optics OR optically OR optical OR optic))) and semiconductor OR semiconductors [All Sources(- All Sciences -)]	5
1.	pub-date > 1994 and AUTHORS(Takagi) and TITLE-ABSTR-KEY((optics OR optically OR optical OR optic)) [All Sources(- All Sciences -)]	47

Copyright © 2005 Elsevier B.V. All rights reserved.  
ScienceDirect® is a registered trademark of Elsevier B.V.

DLP  
7/25/2005